

	<b>O-FIS Qualitätsmanagementsystem</b> Formblatt <b>Collection and Cohort Profile</b>	CL312 Seite 1 von 1
---	---	------------------------

### 1. General Information

<b>Biobank project number</b>	5001_09
<b>Title (Study Name)</b>	Pregnancy Hypertension Cohort
<b>Principal investigator</b>	Prof. Cervar-Zivkovic
<b>Contact information</b>	<a href="mailto:pm-biobank@medunigraz.at">pm-biobank@medunigraz.at</a>
<b>Funding agency</b>	-----

### 2. Description

Blood samples have been collected from pregnant patients suffering from hypertension.
---

### 3. Details

<b>ICD 10/O codes / Healthy</b>	O13.9		
<b>Key words</b>	gestational hypertension, blood samples		
<b>Collection / Cohort size (12/2018)</b>	12.701 aliquots from 436 patients		
<b>Informed Consent (IC)</b>	<input checked="" type="checkbox"/> Broad Biobank IC		
	<input type="checkbox"/> Specific Study IC		
<b>Status</b>	<input type="checkbox"/> In progress / compl. date: mm/yy		
	<input checked="" type="checkbox"/> Completed (12/2018)		
<b>Inclusion criteria</b>	<b>Age distribution</b>	women of childbearing age	
	<b>Sex distribution (f:m)</b>	100% female	
	<b>Others</b>	gestational hypertension	
<b>Access type</b>	<input type="checkbox"/> Cooperation only <input checked="" type="checkbox"/> Cooperation preferred		
<b>Earliest access</b>	07/2019		
<b>Quality-standards</b>	<input type="checkbox"/> CEN/TS <input checked="" type="checkbox"/> ISO 9001:2015 (SOPs)		
<b>Associated publications / references</b>	-----		

### 4. Material available (aliquot size) and storage conditions

<b>Material</b>	<input checked="" type="checkbox"/> Serum (235µl, 580µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>
	<input checked="" type="checkbox"/> Plasma (580µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>
	<input checked="" type="checkbox"/> Buffy coat (300µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>

Erstellt am 18.05.2020