

## 1. General Information

|                               |  |
|-------------------------------|--|
| <b>Cohort ID</b>              | 5001_09  |
| <b>Title (Study Name)</b>     | Pregnancy Hypertension Cohort  |
| <b>Principal investigator</b> | Prof.in Mila Cervar-Zivkovic   |
| <b>Contact information</b>    | <a href="mailto:pm-biobank@medunigraz.at">pm-biobank@medunigraz.at</a> |
| <b>Funding agency</b>         | -----  |

## 2. Description

|   |
|---|
| Blood samples have been collected from pregnant patients suffering from hypertension. |
|---|

## 3. Details

|   |   |                           |
|---|---|---------------------------|
| <b>ICD 10/O codes / Healthy</b>             | O13.9   |                           |
| <b>Key words</b>                            | gestational hypertension, blood samples                       |                           |
| <b>Collection / Cohort size</b><br>11/2021  | 12.701 aliquots from 316 patients                             |                           |
| <b>Informed Consent (IC)</b>                | <input checked="" type="checkbox"/> Broad Biobank IC          |                           |
|   | <input type="checkbox"/> Specific Study IC                    |                           |
| <b>Status</b>                               | <input type="checkbox"/> In progress / compl. date: (mm/yyyy) |                           |
|   | <input checked="" type="checkbox"/> Completed                 |                           |
| <b>Inclusion criteria</b>                   | <b>Age distribution</b>                                       | women of childbearing age |
|   | <b>Sex distribution (f:m)</b>                                 | 100% female               |
|   | <b>Others</b>   | gestational hypertension  |
| <b>Earliest access</b>                      | As of now   |                           |
| <b>Quality-standards</b>                    | <input checked="" type="checkbox"/> ISO 9001:2015 (SOPs)      |                           |
| <b>Associated publications / references</b> | -----   |                           |

## 4. Material available (aliquot size) and storage conditions

|                 |  |   |
|-----------------|--|---|
| <b>Material</b> | <input checked="" type="checkbox"/> Serum (235 µl, 580 µl)   | <input checked="" type="checkbox"/> -80°C |
|                 | <input checked="" type="checkbox"/> EDTA plasma (580 µl)     | <input checked="" type="checkbox"/> -80°C |
|                 | <input checked="" type="checkbox"/> EDTA Buffy coat (300 µl) | <input checked="" type="checkbox"/> -80°C |

|  |  |
|--|--|
| <b>Dokument erstellt</b> (tt/mm/yyyy):<br>22/04/2021 | <b>Letzte inhaltliche Aktualisierung</b> (tt/mm/yyyy):<br>25/03/2022 |
|--|--|