

1. General Information

Cohort ID	5002_11
Title (Study Name)	Gynaecological Tumours
Principal investigator	Prof. Karl Tamussino; Prof. ⁱⁿ Mila Cervar-Zivkovic, Prof. Peter Regitnig
Contact information	pm-biobank@medunigraz.at
Funding agency	-----

2. Description

<p>Blood as well as fresh frozen tissue samples have been collected from patients at the gynaecology department diagnosed with various gynaecological cancers.</p> <p><u>Collection strategy for blood samples and fresh frozen tissue:</u></p> <ul style="list-style-type: none"> • breast cancer, ovarian cancer, endometrial cancer, cervical cancer • vulva and vaginal carcinomas • rare gynaecological tumours • endometriosis, Leiomyomas <p><u>Time of collection:</u></p> <ul style="list-style-type: none"> • preoperative blood collection <p>Tissue collection during surgery</p>
--

3. Details

ICD 10/O codes / Healthy	-----		
Key words	gynaecological cancers, blood, cryopreserved tissue		
Collection / Cohort size 12/2023 12/2019	12.680 aliquots from 1.551 patients 1.419 cryo aliquots from 655 patients		
Informed Consent (IC)	<input checked="" type="checkbox"/> Broad Biobank IC		
	<input type="checkbox"/> Specific Study IC		
Status	<input checked="" type="checkbox"/> In progress / compl. date: open		
	<input type="checkbox"/> Completed		
Inclusion criteria	Age distribution	18 - 99	
	Sex distribution (f:m)	100% female	
	Others	gynaecological tumours	
Earliest access	As of now		
Quality-standards	<input checked="" type="checkbox"/> ISO 9001:2015 (SOPs)		
Associated publications / references	-----		

4. Material available (aliquot size) and storage conditions

Material	<input checked="" type="checkbox"/> EDTA plasma (580 µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N ₂
	<input checked="" type="checkbox"/> EDTA Buffy coat (300 µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N ₂
	<input checked="" type="checkbox"/> Whole blood (580 µl)	<input checked="" type="checkbox"/> -80°C	
	<input checked="" type="checkbox"/> Snap frozen tissue	<input type="checkbox"/> -80°C	<input checked="" type="checkbox"/> liq. N ₂

Dokument erstellt (tt/mm/yyyy):
22/04/2021

Letzte inhaltliche Aktualisierung (tt/mm/yyyy):
19/03/2024