

### 1. General Information

<b>Cohort ID</b>	6005_10
<b>Title (Study Name)</b>	Neurosurgery Collection
<b>Principal investigator</b>	Prof. Stefan Wolfsberger
<b>Contact information</b>	<a href="mailto:pm-biobank@medunigraz.at">pm-biobank@medunigraz.at</a>
<b>Funding agency</b>	-----

### 2. Description

<p>Blood as well as tissue samples have been collected from patients admitted at the clinical department of Neurosurgery. The subjects comprise patients with cancer, operated on the intervertebral discs or with epilepsy.</p>
--

### 3. Details

<b>ICD 10/O codes / Healthy</b>	-----		
<b>Key words</b>	brain tumors, intervertebral discs, epilepsy		
<b>Collection / Cohort size</b> 12/2023	37.800 aliquots from 4.096 patients		
<b>Informed Consent (IC)</b>	<input checked="" type="checkbox"/> Broad Biobank IC		
	<input type="checkbox"/> Specific Study IC		
<b>Status</b>	<input checked="" type="checkbox"/> In progress / compl. date: open		
	<input type="checkbox"/> Completed		
<b>Inclusion criteria</b>	<b>Age distribution</b>	-----	
	<b>Sex distribution (f:m)</b>	-----	
	<b>Others</b>	<input checked="" type="checkbox"/> Patients operated on the intervertebral discs <input checked="" type="checkbox"/> Patients with Epilepsy <input checked="" type="checkbox"/> Patients with the following tumors: - Glial Tumors - Neuronal Tumors - Mixed glioneuronal tumors - Meningeal tumors - Metastases Rare entities	
<b>Earliest access</b>	As of now		
<b>Quality-standards</b>	<input checked="" type="checkbox"/> ISO 9001:2015 (SOPs)		
<b>Associated publications / references</b>	-----		

### 4. Material available (aliquot size) and storage conditions

<b>Material</b>	<input checked="" type="checkbox"/> Serum (235 µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>
	<input checked="" type="checkbox"/> EDTA plasma (580 µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>
	<input checked="" type="checkbox"/> EDTA Buffy coat (300 µl)	<input checked="" type="checkbox"/> -80°C	<input type="checkbox"/> liq. N <sub>2</sub>

Snap frozen tissue

-80°C

liq. N<sub>2</sub>

**Dokument erstellt** (tt/mm/yyyy):  
23/04/2021

**Letzte inhaltliche Aktualisierung** (tt/mm/yyyy):  
20/03/2024